


# TaskA Wireless LowRate (Throughput vs Num of Nodes)

Number of Flows = 100

Number of Packets Per Second = 100

Packet Size = 4096 byte

TX Range = 5




# TaskA Wireless LowRate (End-to-End Delay vs Num of Nodes)

Number of Flows = 100

Number of Packets Per Second = 100

Packet Size = 4096 byte

TX Range = 5




# TaskA Wireless LowRate (Packet Delivery Ratio vs Num of Nodes)

Number of Flows = 100

Number of Packets Per Second = 100

Packet Size = 4096 byte

TX Range = 5




# TaskA Wireless LowRate (Packet Loss Ratio vs Num of Nodes)

Number of Flows = 100

Number of Packets Per Second = 100

Packet Size = 4096 byte

TX Range = 5




# TaskA Wireless LowRate (Throughput vs Num of Flows)

Number of Nodes = 50

Number of Packets Per Second = 100

Packet Size = 4096 byte

TX Range = 5




# TaskA Wireless LowRate (End-to-End Delay vs Num of Flows)

Number of Nodes = 50

Number of Packets Per Second = 100

Packet Size = 4096 byte

TX Range = 5




# TaskA Wireless LowRate (Packet Delivery Ratio vs Num of Flows)

Number of Nodes = 50

Number of Packets Per Second = 100

Packet Size = 4096 byte

TX Range = 5




# TaskA Wireless LowRate (Packet Loss Ratio vs Num of Flows)

Number of Nodes = 50

Number of Packets Per Second = 100

Packet Size = 4096 byte

TX Range = 5






# TaskA Wireless LowRate (Throughput vs Num of Packets Per Second)

Number of Nodes = 50

Number of Flows = 50

Packet Size = 4096 byte

TX Range = 5




# TaskA Wireless LowRate (End-to-End Delay vs Num of Packets Per Second)

Number of Nodes = 50

Number of Flows = 50

Packet Size = 4096 byte

TX Range = 5




# TaskA Wireless LowRate (Packet Delivery Ratio vs Num of Packets Per Second)

Number of Nodes = 50

Number of Flows = 50

Packet Size = 4096 byte

TX Range = 5




# TaskA Wireless LowRate (Packet Loss Ratio vs Num of Packets Per Second)

Number of Nodes = 50

Number of Flows = 50

Packet Size = 4096 byte

TX Range = 5




### TaskA Wireless LowRate (Throughput vs TX Range)

Number of Nodes = 50

Number of Flows = 50

Number of Packets Per Second = 100

Packet Size = 4096 byte




# TaskA Wireless LowRate (End-to-End Delay vs TX Range)

Number of Nodes = 50

Number of Flows = 50

Number of Packets Per Second = 100

Packet Size = 4096 byte




# TaskA Wireless LowRate (Packet Delivery Ratio vs TX Range)

Number of Nodes = 50

Number of Flows = 50

Number of Packets Per Second = 100

Packet Size = 4096 byte



# TaskA Wireless LowRate (Packet Loss Ratio vs TX Range)

Number of Nodes = 50

Number of Flows = 50

Number of Packets Per Second = 100

Packet Size = 4096 byte

